

# PORTAPROMPT

## PRICE LIST - Sept 09 2008 (UK Sterling)

Product Code	<b>SECTION ONE : Prompting source</b>	Price Each Ex-works GB Pounds
100-001	<b>WinDigi</b> , Windows based Prompting Software with Local USB hand speed control.	1,020.00
100-002	<b>WinDigi</b> , Windows based Prompting Software with Remote foot speed control and USB dongle	1,239.00
100-003	<b>WinDigi</b> , Windows based Prompting Software with Local USB hand and Remote foot speed control.	1,375.00
100-005	Upgrade from <b>DOS</b> version to WinDigi Lite Plus <b>Windows</b> based Prompting software.	355.00
100-006	<b>DigiStory</b> , very simple Newsroom Editor and Organiser (Windows based) for use with WinDigi prompting software. Minimum system includes one editor and two journalist units.	2,200.00
100-007	Extra journalist unit for existing DigiStory system.	395.00
100-008	Extra editor unit for existing DigiStory system.	950.00
100-013	<b>WinDigi Lite, software and dongle</b> , uses the keyboard or scroll wheel on a mouse to control the speed of scroll. Light weight version of Windigi software.	295.00
100-014	<b>Avid Newsroom or MOS newsroom interface for WinDigi prompting software</b>	1,650.00
100-015	<b>WinDigi Lite Plus, software and Local USB hand control</b> . Light weight version of Windigi software with hand control.	715.00
100-016	<b>WinDigi Lite Plus, software and foot control</b> . Light weight version of Windigi software with remote foot control and USB dongle	924.00
100-017	<b>WinDigi Lite Plus, software</b> . Light weight version of Windigi software with Local hand control and Remote foot control.	1,070.00
100-018	Extra or replacement security dongle lead for WinDigi softwares,	874.00
100-019	Extra or replacement security dongle lead for WinDigi Lite Plus software	559.00
100-020	WinDigi Lite Plus with USB Dongle for use with <b>REMOTE</b> hand and foot controls (not included)	569.00
100-021	WinDigi & USB Dongle for use with <b>REMOTE</b> hand and foot controls (not included)	874.00
100-022	WinDigi Full with wireless hand control and wireless USB base station	1,415.00
100-023	WinDigi Full with wireless foot control and wireless USB base station	1,634.00
100-024	WinDigi Full with wireless hand control, wireless and dual control wireless USB base station	1,870.00
100-025	WinDigi Lite Plus with wireless hand control and wireless USB base station	1,110.00
100-026	WinDigi Lite Plus with wireless foot control and wireless USB base station	1,319.00
100-027	WinDigi Lite Plus with wireless hand control, wireless and dual control wireless USB base station	1,565.00
100-028	100-022 with back up wired hand control	1,586.00
100-029	100-023 with back up wired hand control	1,805.00
100-030	100-024 with back up wired hand control	2,041.00
100-031	100-025 with back up wired hand control	1,281.00
100-032	100-026 with back up wired hand control	1,490.00
100-033	100-027 with back up wired hand control	1,736.00

100-034	100-022 with back up wired foot control	1,941.00
100-035	100-023 with back up wired foot control	2,160.00
100-036	100-024 with back up wired foot control	2,396.00
100-037	100-025 with back up wired foot control	1,636.00
100-038	100-026 with back up wired foot control	1,845.00
100-039	100-027 with back up wired foot control	2,091.00

---

### **SECTION TWO Scan Converters for use with Pc's or Laptops**

200-001	<b>VGA to VIDEO (PAL/NTSC)</b> converter type CS320 (Allows IBM VGA output to work with Portaprompt and Standard Composite Video monitors). 1-only video outlet from this unit.	200.00
200-005	<b>VGA to VIDEO (PAL/NTSC)</b> converter type 1T-C2-100 (Allows IBM VGA output to work with Portaprompt and Standard Composite Video monitors). 2-video outlets from this unit.	455.00
200-006	<b>VGA to VIDEO (PAL/NTSC)</b> converter type 1T-C2-150 (Allows IBM VGA output to work with Portaprompt and Standard Composite Video monitors). 2-only video outlets from this unit with genlock, Chromakey, Lumakey, Mix and PIP, Composite and S-video input	570.00

---

### **SECTION THREE Complete On Camera Prompters. Mains/12VDC.**

300-002	<b>Wireless Link</b> - Video Transmitter and Receiver system (licence free), enabling cordless operation of MicroPrompt if battery powered.	200.00
300-003	Optional 0.22m x 3-way camera power splitter lead for MicroPrompt units (*).	35.00
300-004	Optional 0.15m x 3-way combining lead for MicroPrompt units (*).	35.00
300-005	Extra 10m combined power and video cable for use with MicroPrompt unit. Not more than 30m cable run is advised.	35.00
300-006	<b>Stroller</b> - Local USB Hand speed controller with LCD display for MicroPrompt/Laptop use in the field	600.00
300-007	<b>Small DV camera rigging with 7"</b> Display, Hood, 2 x glass reflectors, 25m BNC cable, 0.15m x 3-way combining lead, Regulated Ac-Dc adaptor	1,032.00
300-008	<b>Small DV camera rigging with 9"</b> Display, Hood, 2 x glass reflectors, 25m BNC cable, 0.15m x 3-way combining lead, Regulated Ac-Dc adaptor	1,230.00
300-009	<b>MicroPrompt MPDP7</b> , 7" flat screen LCD type with detachable wide-angle compact hood, reflector type T8 and rigging arm mounting. Suitable for battery use and ENG hand-held/Steadicam™ applications. Price includes spare reflector, 3m battery lead, 25m BNC-BNC cable, 0.22m x 3-way camera power splitter lead, 0.15m x 3-way combining lead, 10m combined power and video cable (see product code 300-005) and regulated AC-DC adaptor.	1,272.00
300-010	<b>MicroPrompt MPDP9</b> , 9" flat screen LCD type with detachable wide-angle compact hood, reflector type T8 and rigging arm mounting. Suitable for battery use and ENG hand-held/Steadicam™ applications. Price includes spare reflector, 3m battery lead, 25m BNC-BNC cable, 0.22m x 3-way camera power splitter lead, 0.15m x 3-way combining lead, 10m combined power and video cable (see product code 300-005) and regulated AC-DC adaptor.	1,472.00
300-011	<b>Microprompt MPDP7 Combination.</b> This option comprises of 300-009 and 300-007 so it is possible to use on an shoulder mounted camera or small DV cameras. Leads are not duplicated	1,522.00
300-012	<b>Microprompt MPDP9 Combination.</b> This option comprises of 300-010 and 300-008 so it is possible to use on an shoulder mounted camera or small DV cameras. Leads are not duplicated	1,722.00
300-016	<b>Nanoprompt Laptop Combination.</b> This option comprises of a laptop and rigging arm to mount the laptop on an ENG light weight camera handle. Prompting Software is Extra.	2,652.00
300-017	<b>MicroPrompt ChromaKey LED Ring type</b> , 9" flat screen LCD type with rigging arm mount. Regulated AC-DC adaptor. 25m BNC cable, 0.15m x 3-way combining lead,	1,195.00
300-018	<b>Mat Box Bars rigging for Microprompt hood.</b> Includes the hood plate and 2 tele-scoping bars	300.00

300-019	<b>MicroPrompt MPDP9 Matt bar mounting</b> , 9" flat screen LCD type with detachable wide-angle compact hood, reflector type T8 and Matt bar rigging. Suitable for battery use and ENG hand-held/Steadicam™ applications. Price includes spare reflector, 3m battery lead, 25m BNC-BNC cable, 0.22m x 3-way camera power splitter lead, 0.15m x 3-way combining lead, 10m combined power and video cable (see product code 300-005) and regulated AC-DC adaptor.	1,472.00
400-052	<b>Quasar 10.4" ULTRA BRIGHT Head-up Display</b> , flat screen 1250 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, ENG/Film plate and video cable. Suitable for lightweight tripod use.	2,784.00
400-053	<b>Quasar 10.4" ULTRA BRIGHT Head-up Display</b> , flat screen 1250 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, two telescopic rods and video cable. For use with heavier weight tripod and pedestals.	2,784.00
400-042	<b>Quasar 12" ULTRA BRIGHT Head-up Display</b> , flat screen 1250 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, ENG/Film plate and video cable. Suitable for lightweight tripod use.	2,884.00
400-043	<b>Quasar 12" ULTRA BRIGHT Head-up Display</b> , flat screen 1250 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, two telescopic rods and video cable. For use with heavier weight tripod and pedestals.	2,884.00
400-030	<b>Premium 15" Hi Bright Head-up Display</b> , flat screen 550 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, ENG/Film plate and video cable. Suitable for lightweight tripod use.	2,400.00
400-031	<b>Premium 15" Hi Bright Head-up Display</b> , flat screen 550 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, two telescopic rods and video cable. For use with heavier weight tripod and pedestals.	2,400.00
400-032	<b>Quasar 15" ULTRA BRIGHT Head-up Display</b> , flat screen 1400 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, ENG/Film plate and video cable. Suitable for lightweight tripod use.	2,919.00
400-033	<b>Quasar 15" ULTRA BRIGHT Head-up Display</b> , flat screen 1400 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, two telescopic rods and video cable. For use with heavier weight tripod and pedestals.	2,919.00
400-044	<b>Quasar 17" ULTRA BRIGHT Head-up Display</b> , flat screen 1000 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, ENG/Film plate and video cable. Suitable for lightweight tripod use.	3,192.00
400-045	<b>Quasar 17" ULTRA BRIGHT Head-up Display</b> , flat screen 1000 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, two telescopic rods and video cable. For use with heavier weight tripod and pedestals.	3,192.00
400-034	<b>Quasar 20" ULTRA BRIGHT Head-up Display</b> , flat screen 1800 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, ENG/Film plate and video cable. Suitable for lightweight tripod use.	4,057.00
400-035	<b>Quasar 20" ULTRA BRIGHT Head-up Display</b> , flat screen 1800 NITS brightness LCD display (mains/12v DC, Video PAL/NTSC or VGA inputs) with reflector, hood, rigging mount, two telescopic rods and video cable. For use with heavier weight tripod and pedestals.	4,057.00
400-051	<b>12" Presenter Display monitor and mounting</b> . 12" LCD Display for mounting under a Portaprompt Quasar or Premium on Camera Head-up.	396.00
<b>Quantum rigs for small cameras on robotic heads and tripods</b>		
700-032	<b>9" on mini Quantum Plate. with hood, 2 x reflectors, mounting plate, weight, video cable and power supply</b>	1,900.00
700-031	<b>10.4" Quasar on mini Quantum Plate. with hood, 2 x reflectors, mounting plate, weight, video cable and power supply</b>	2,560.00
700-030	<b>12" Quasar on mini Quantum Plate. with hood, 2 x reflectors, mounting plate, weight, video cable and power supply</b>	2,660.00
700-025	<b>15" Premium on Quantum Plate. with hood, 2 x reflectors, mounting plate, weight, video cable and power supply</b>	2,450.00
700-026	<b>15" Quasar on Quantum Plate. with hood, 2 x reflectors, mounting plate, weight, video cable and power supply</b>	2,847.00
700-027	<b>17" Quasar on Quantum Plate. with hood, 2 x reflectors, mounting plate, weight, video cable and power supply</b>	3,110.00
700-029	<b>20" Quasar on Quantum Plate. with hood, 2 x reflectors, mounting plate, weight, video cable and power supply</b>	4,175.00

## **SECTION FOUR Conference Products**

500-001	<b>CueClip</b> , cordless hand held, A4 size clipboard type prompter, enabling presenter free range of stage.	875.00
600-005	<b>Fastpole</b> MCG MK2, Two-speed ultra compact conference stand for use with Portaprompt's flat screen and customer's own monitors. Comprising motorised stand, 2 x Reflectors type CG, monitor shroud, hand held controller and 25m BNC video cable. Controller operates up to 16 stands.	3,342.80
600-006	<b>Fastpole</b> MCG MK2, Two-speed ultra compact conference stand, 2 x Reflectors type CG, monitor shroud and 3m BNC video cable only.	2,932.80
600-007	Spare hand controller for Fastpole MCG MK2 system.	400.00
600-008	<b>Interface Box</b> , includes VGA to Video converter and 4-way video distribution and Ipatop power supply, 12v Dc output for printer or suitable Portaprompt display.	895.00
600-010	<b>Ultra Portable Lightweight Telescoping Conference Glass stand</b> suitable for all flat back displays, 2 CG reflectors, and folding ABS monitor shroud	495.00

### **SECTION FIVE Accessories & Spares**

400-011	Hood type T16x9 Suitable for 12" and 15" displays	227.00
400-047	17" GRP hood.	227.00
400-046	20" cloth hood and reflector.	770.00
400-012	Two Hood extension spacers for T16x9 hood (For some very wide-angle lens applications.	45.00
400-048	<b>Quasar ULTRA HI BRIGHT</b> 10.4" Monitor, auto terminating video input, VGA input, high brightness 1400 NIT flat LCD, mains/12 V DC	1,560.00
400-040	<b>Quasar ULTRA HI BRIGHT</b> 12" Monitor, auto terminating video input, VGA input, high brightness 1250 NIT flat LCD, mains/12 V DC	1,660.00
400-036	Premium Hi BRIGHT 15" Monitor, auto terminating video input, VGA input, high brightness 550 NIT flat LCD, mains/12 V DC	1,298.00
400-037	<b>Quasar ULTRA HI BRIGHT</b> 15" Monitor, auto terminating video input, VGA input, high brightness 1400 NIT flat LCD, mains/12 V DC	1,695.00
400-041	<b>Quasar ULTRA HI BRIGHT</b> 17" Monitor, auto terminating video input, VGA input, high brightness 1000 NIT flat LCD, mains/12 V DC	1,958.00
400-038	<b>Quasar ULTRA HI BRIGHT</b> 20" Monitor, auto terminating video input, VGA input, high brightness 1800 NIT flat LCD, mains/12 V DC	2,480.00

### **SECTION SIX Reflectors for Head-up Displays (all include transit case)**

300-013	Type T6, for non-wide angle version MicroPrompt units (cost is for two reflectors).	190.00
300-014	Type T6W, for wide-angle version MicroPrompt units (cost is for two reflectors).	170.00
400-013	Type T3 for use with T3 hood on 10.4", 13", 12" and 15" displays. <b>This is our old hood type</b>	220.00
400-014	Type T16W for use with T16x9 Hood on 10.4", 13", 12" and 15" displays. <b>This is an old hood type</b>	220.00
400-015	Type T16x9 for use with 10.4", 13", 12", 15" displays.	190.00
400-015	Type T17 reflector for use with 17" hood	200.00
600-009	Type CG (for conference display) comprising 2 reflectors in a carrying case	170.00

### **SECTION SEVEN Miscellaneous Items**

700-001	Video Distribution Amplifier with 4 x video and 1 x 12V DC loop-through.	160.00
700-002	Monitor Stand - Adjustable height, 3-folding legs with castors	310.00
700-003	Monitor Stand - Adjustable height, microphone stand type for flat monitors	390.00
700-004	Monitor Stand - Desk type for flat monitors	105.00
700-019	Hand Remote Control - Hand operated with forward/reverse speed control. Comes complete with 25m inter-connecting cable. For use with a USB dongle or LOCAL USB hand control	146.00

700-020	Foot Remote Control - Accelerator type Foot operated with variable forward/reverse speed. Comes complete with 25m inter-connecting cable. For use with a USB dongle or LOCAL USB hand control	330.00
		0.00
700-034	<b>Newsbox Remote control</b>	195.00
700-021	For existing WinDigi software package owners only. Upgrade to USB Dongle from parallel port dongle. <b>The parallel dongle HAS to be returned to Portaprompt to obtain this special upgrade price.</b>	125.00
700-007	ENG/Film Camera mounting plate MK3.	498.00
700-023	Shotoku Head Plate for rigging telescopic rods to the head.	245.00
700-022	One Short Telescopic Rod.	155.00
700-008	One Long Telescopic Rod.	155.00
700-009	Small counterbalance weight.	140.00
700-010	Broadcast Camera counter-balance plate.	936.00
700-011	Red Cue Light, photo cell operated gets power from display.	95.00
700-012	25m BNC - BNC video lead.	25.00
700-018	3m BNC - BNC video lead.	15.00
700-013	Rigging mount type 'U'.	210.00
700-014	12 volt 24 amper hour battery with integral fast intelligent charging facility. And variable voltage laptop output	460.00
700-xxx	Honeycomb monitor 'hide' suitable for customer's 21" to 50" monitors	POA
290-2778	Aluminium transit case suitable for miscellaneous displays and rigging. With foam liner	260.00
426-2022	1.2m BNC - BNC video lead.	11.00
700-015	12 volt D.C. 5 amp power supply unit for use with Portaprompt TFT flat screen monitors. Includes power lead.	63.00
800-001	<b>EXTRA</b> Handbook for any of the above products in this pricelist	10.00

**Prices shown in this list are GB Pounds, ex-works and do not include any allowance for packing, delivery, nor shipping costs. We will be pleased to quote for these upon request. Note for UK/EU customers, prices do not include Value Added Tax.**

We will always be happy to let you have a firm quotation covering any of the above products or discuss with you any special requirements. Please contact our sales or technical departments without obligation.

Also available for your use is our U.K. nationwide day-to-day hire service for prompting equipment. This service includes operator, script preparation and rigging etc. Long term hire and series discounts are also available. Please discuss your needs with our hire department.

**Portaprompt Limited, Lane End Road, Sands, High Wycombe, Bucks. HP12 4JQ, UK**  
**Telephone: (0) 1494 450414 Facsimile: (0) 1494 437591 email: sales@portaprompt.co.uk**  
**www.portaprompt.co.uk**